



# Diabetes: Medical Attention to Nephropathy

## Measure Description

The percentage of patients 18-75 years of age with diabetes who had a nephropathy screening test or evidence of nephropathy during the measurement period.

## Evaluation Period

Calendar Year

## Numerator

A nephropathy screening or monitoring test or evidence of nephropathy, as documented through electronic data. This includes diabetics who had one of the following during the measurement year:

Condition Description	# Event	Detailed Criteria
A nephropathy screening or monitoring	1	CPT Codes (81000, 81001, 81002, 81003, 81005, 82042, 82043, 82044, 84156, 3060F, 3061F, 3062F)  LOINC Codes (11218-5, 12842-1, 13705-9, 13801-6, 14585-4, 14956-7, 14957-5, 14958-3, 14959-1, 1753-3, 1754-1, 1755-8, 1757-4, 18373-1, 20454-5, 20621-9, 21059-1, 21482-5, 26801-1, 27298-9, 2887-8, 2888-6, 2889-4, 2890-2, 30000-4, 30001-2, 30003-8, 32209-9, 32294-1, 32551-4, 34366-5, 35663-4, 40486-3, 40662-9, 40663-7, 43605-5, 43606-3, 43607-1, 44292-1, 47558-2, 49023-5, 50561-0, 50949-7, 53121-0, 53525-2, 53530-2, 53531-0, 53532-8, 56553-1, 57369-1, 57735-3, 5804-0, 58448-2, 58992-9, 59159-4, 60678-0, 63474-1, 76401-9, 77158-4, 77253-3, 77254-1, 9318-7)
Evidence of treatment for nephropathy or ACE/ARB	1	CPT Codes (3066F, 4010F)  ICD10 Codes (E08.21, E08.22, E08.29, E09.21, E09.22, E09.29, E10.21, E10.22, E10.29, E11.21, E11.22, E11.29, E13.21, E13.22, E13.29, I12.0, I12.9, I13.0, I13.10, I13.11, I13.2, I15.0, I15.1, N00.0, N00.1, N00.2, N00.3, N00.4, N00.5, N00.6, N00.7, N00.8, N00.9, N01.0, N01.1, N01.2, N01.3, N01.4, N01.5, N01.6, N01.7, N01.8, N01.9, N02.0, N02.1, N02.2, N02.3, N02.4, N02.5, N02.6, N02.7, N02.8, N02.9, N03.0, N03.1, N03.2, N03.3, N03.4, N03.5,



		N03.6, N03.7, N03.8, N03.9, N04.0, N04.1, N04.2, N04.3, N04.4, N04.5, N04.6, N04.7, N04.8, N04.9, N05.0, N05.1, N05.2, N05.3, N05.4, N05.5, N05.6, N05.7, N05.8, N05.9, N06.0, N06.1, N06.2, N06.3, N06.4, N06.5, N06.6, N06.7, N06.8, N06.9, N07.0, N07.1, N07.2, N07.3, N07.4, N07.5, N07.6, N07.7, N07.8, N07.9, N08, N14.0, N14.1, N14.2, N14.3, N14.4, N17.0, N17.1, N17.2, N17.8, N17.9, N18.1, N18.2, N18.3, N18.4, N18.5, N18.6, N18.9, N19, N25.0, N25.1, N25.81, N25.89, N25.9, N26.1, N26.2, N26.9, Q60.0, Q60.1, Q60.2, Q60.3, Q60.4, Q60.5, Q60.6, Q61.00, Q61.01, Q61.02, Q61.11, Q61.19, Q61.2, Q61.3, Q61.4, Q61.5, Q61.8, Q61.9, R80.0, R80.1, R80.2, R80.3, R80.8, R80.9)	
Evidence of stage 4 chronic kidney disease	1	ICD10 Code (N18.4)	
Evidence of ESRD	1	<p>CPT Codes (36147, 36800, 36810, 36815, 36818, 36819, 36820, 36821, 36831, 36832, 36833, 90935, 90937, 90940, 90945, 90947, 90957, 90958, 90959, 90960, 90961, 90962, 90965, 90966, 90969, 90970, 90989, 90993, 90997, 90999, 99512)</p> <p>ICD10 Codes (N18.5, N18.6, Z91.15, Z99.2, 3E1M39Z, 5A1D00Z, 5A1D60Z)</p> <p>UBREV Codes (00800, 00801, 00802, 00803, 00804, 00809, 00820, 00821, 00822, 00823, 00824, 00825, 00829, 00830, 00831, 00832, 00833, 00834, 00835, 00839, 00840, 00841, 00842, 00843, 00844, 00845, 00849, 00850, 00851, 00852, 00853, 00854, 00855, 00859, 00880, 00881, 00882, 00889)</p> <p>HCPCS Codes (G0257, S9339)</p> <p>UBTOB Codes (00720, 00721, 00722, 00723, 00724, 00725, 00727, 00728, 072A, 072B, 072C, 072D, 072E, 072F, 072G, 072H, 072I, 072J, 072K, 072M, 072O, 072X, 072Y, 072Z)</p>	
Evidence of kidney transplant	1	<p>CPT Codes (50300, 50320, 50340, 50360, 50365, 50370, 50380)</p> <p>ICD10 Codes (Z94.0, 0TY00Z0, 0TY00Z1, 0TY00Z2, 0TY10Z0, 0TY10Z1, 0TY10Z2)</p> <p>UBREV Code (00367)</p> <p>HCPCS Code (S2065)</p>	
A visit with a nephrologist, as identified by the organization's specialty provider codes (no restriction on the diagnosis or procedure code submitted).			
At least one ACE inhibitor or ARB dispensing	1	Angiotensin converting enzyme inhibitors	<ul style="list-style-type: none"> <li>• Benazepril</li> <li>• Captopril</li> <li>• Enalapril</li> <li>• Fosinopril</li> <li>• Lisinopril</li> <li>• Moexipril</li> <li>• Perindopril</li> <li>• Quinapril</li> <li>• Ramipril</li> <li>• Trandolapril</li> </ul>
	1	Angiotensin II inhibitors	<ul style="list-style-type: none"> <li>• Azilsartan</li> <li>• Candesartan</li> <li>• Eprosartan</li> <li>• Irbesartan</li> <li>• Losartan</li> <li>• Olmesartan</li> <li>• Telmisartan</li> <li>• Valsartan</li> </ul>



	1	Antihypertensive combinations	<ul style="list-style-type: none"> <li>• Aliskiren-valsartan</li> <li>• Amlodipine-benazepril</li> <li>• Amlodipine-hydrochlorothiazide-valsartan</li> <li>• Amlodipine-hydrochlorothiazide-olmesartan</li> <li>• Amlodipine-olmesartan</li> <li>• Amlodipine-perindopril</li> <li>• Amlodipine-telmisartan</li> <li>• Amlodipine-valsartan</li> <li>• Azilsartan-chlorthalidone</li> <li>• Benazepril-hydrochlorothiazide</li> <li>• Candesartan-hydrochlorothiazide</li> <li>• Captopril-hydrochlorothiazide</li> <li>• Enalapril-hydrochlorothiazide</li> <li>• Eprosartan-hydrochlorothiazide</li> <li>• Fosinopril-hydrochlorothiazide</li> <li>• Hydrochlorothiazide-irbesartan</li> <li>• Hydrochlorothiazide-lisinopril</li> <li>• Hydrochlorothiazide-losartan</li> <li>• Hydrochlorothiazide-moexipril</li> <li>• Hydrochlorothiazide-olmesartan</li> <li>• Hydrochlorothiazide-quinapril</li> <li>• Hydrochlorothiazide-telmisartan</li> <li>• Hydrochlorothiazide-valsartan</li> <li>• Trandolapril-verapamil</li> </ul>
--	---	-------------------------------	--

## Denominator

Patients age 18-75 years identified as diabetic through pharmacy data, claim/encounter data, or medical record data.

Patients must be identified in only one method to be included in the measure. Patients may be identified as having diabetes during the measurement year or the year prior to the measurement year.

*Claim/encounter data.* Patients who met any of the following criteria during the measurement year or the year prior to the measurement year (count services that occur over both years):



Condition Description	# Event	Detailed Criteria	With a diagnosis of diabetes:
At least two outpatient visits	1	<p>CPT Codes (99201, 99202, 99203, 99204, 99205, 99211, 99212, 99213, 99214, 99215, 99241, 99242, 99243, 99244, 99245, 99341, 99342, 99343, 99344, 99345, 99347, 99348, 99349, 99350, 99381, 99382, 99383, 99384, 99385, 99386, 99387, 99391, 99392, 99393, 99394, 99395, 99396, 99397, 99401, 99402, 99403, 99404, 99411, 99412, 99420, 99429, 99455, 99456)</p> <p>UBREV Codes (00510, 00511, 00512, 00513, 00514, 00515, 00516, 00517, 00519, 00520, 00521, 00522, 00523, 00526, 00527, 00528, 00529, 00982, 00983)</p> <p>HCPCS Codes (G0402, G0438, G0439, G0463, T1015)</p>	E10.10, E10.11, E10.21, E10.22, E10.29, E10.311, E10.319, E10.321, E10.329, E10.331, E10.339, E10.341, E10.349, E10.351, E10.359, E10.36, E10.39, E10.40, E10.41, E10.42, E10.43, E10.44, E10.49, E10.51, E10.52, E10.59, E10.610, E10.618, E10.620, E10.621, E10.622, E10.628, E10.630, E10.638, E10.641, E10.649, E10.65, E10.69, E10.8, E10.9, E11.00, E11.01, E11.21, E11.22, E11.29, E11.311, E11.319, E11.321, E11.329, E11.331, E11.339, E11.341, E11.349, E11.351, E11.359, E11.36, E11.39, E11.40, E11.41, E11.42, E11.43, E11.44, E11.49, E11.51, E11.52, E11.59, E11.610, E11.618, E11.620, E11.621, E11.622, E11.628, E11.630, E11.638, E11.641, E11.649, E11.65, E11.69, E11.8, E11.9, E13.00, E13.01, E13.10, E13.11, E13.21, E13.22, E13.29, E13.311, E13.319, E13.321, E13.329, E13.331, E13.339, E13.341, E13.349, E13.351, E13.359, E13.36, E13.39, E13.40, E13.41, E13.42, E13.43, E13.44, E13.49, E13.51, E13.52, E13.59, E13.610, E13.618, E13.620, E13.621, E13.622, E13.628, E13.630, E13.638, E13.641, E13.649, E13.65, E13.69, E13.8, E13.9, O24.011, O24.012, O24.013, O24.019, O24.02, O24.03, O24.111, O24.112, O24.113, O24.119, O24.12, O24.13, O24.311, O24.312, O24.313, O24.319, O24.32, O24.33, O24.811, O24.812, O24.813, O24.819, O24.82, O24.83
At least two observation visits	1	CPT Codes (99217, 99218, 99219, 99220)	
At least two ED Visits	1	<p>CPT Codes (99281, 99282, 99283, 99284, 99285)</p> <p>UBREV Codes (00450, 00451, 00452, 00456, 00459, 00981)</p>	
At least two Telephone Visits	1	CPT Codes (98966, 98967, 98968, 99441, 99442, 99443)	
At least two Online Assessments		CPT Codes (98969, 99444)	
At least two Nonacute Inpatient Encounters	1	CPT Codes (99304, 99305, 99306, 99307, 99308, 99309, 99310, 99315, 99316, 99318, 99324, 99325, 99326, 99327, 99328, 99334, 99335, 99336, 99337)	
At least one Acute	1	CPT Codes (99221, 99222, 99223, 99231, 99232, 99233,	



Inpatient Encounter	99238, 99239, 99251, 99252, 99253, 99254, 99255, 99291)	
	UBREV Codes (00100, 00101, 00110, 00111, 00112, 00113, 00114, 00119, 00120, 00121, 00122, 00123, 00124, 00129, 00130, 00131, 00132, 00133, 00134, 00139, 00140, 00141, 00142, 00143, 00144, 00149, 00150, 00151, 00152, 00153, 00154, 00159, 00160, 00164, 00167, 00169, 00200, 00201, 00202, 00203, 00204, 00206, 00207, 00208, 00209, 00210, 00211, 00212, 00213, 00214, 00219, 00720, 00721, 00722, 00723, 00724, 00729, 00987)	

*Pharmacy data.* Patients who were dispensed or prescribed insulin or hypoglycemics/antihyperglycemics during the measurement year or year prior to the measurement year on an ambulatory basis.

Hypoglycemics/antihyperglycemics		
Alpha-glucosidase inhibitors	<ul style="list-style-type: none"> <li>Acarbose</li> </ul>	<ul style="list-style-type: none"> <li>Miglitol</li> </ul>
Amylin analogs	<ul style="list-style-type: none"> <li>Pramlitidine</li> </ul>	
Antidiabetic combinations	<ul style="list-style-type: none"> <li>Alogliptin-metformin</li> <li>Alogliptin-pioglitazone</li> <li>Canagliflozin-metformin</li> <li>Dapagliflozin-metformin</li> <li>Empagliflozin-linagliptin</li> <li>Empagliflozin-metformin</li> <li>Glimepiride-pioglitazone</li> <li>Glipizide-metformin</li> </ul>	<ul style="list-style-type: none"> <li>Glyburide-metformin</li> <li>Linagliptin-metformin</li> <li>Metformin-pioglitazone</li> <li>Metformin-repaglinide</li> <li>Metformin-rosiglitazone</li> <li>Metformin-saxagliptin</li> <li>Metformin-sitagliptin</li> </ul>
Insulin	<ul style="list-style-type: none"> <li>Insulin aspart</li> <li>Insulin aspart-insulin aspart protamine</li> <li>Insulin degludec</li> <li>Insulin detemir</li> <li>Insulin glargine</li> <li>Insulin glulisine</li> <li>Insulin isophane human</li> </ul>	<ul style="list-style-type: none"> <li>Insulin isophane-insulin regular</li> <li>Insulin lispro</li> <li>Insulin lispro-insulin lispro protamine</li> <li>Insulin regular human</li> <li>Insulin human inhaled</li> </ul>
Meglitinides	<ul style="list-style-type: none"> <li>Nateglinide</li> </ul>	<ul style="list-style-type: none"> <li>Repaglinide</li> </ul>
Glucagon-like peptide-1 (GLP1) agonists	<ul style="list-style-type: none"> <li>Dulaglutide</li> <li>Exenatide</li> </ul>	<ul style="list-style-type: none"> <li>Liraglutide</li> <li>Albiglutide</li> </ul>
Sodium glucose cotransporter 2 (SGLT2) inhibitor	<ul style="list-style-type: none"> <li>Canagliflozin</li> <li>Empagliflozin</li> </ul>	<ul style="list-style-type: none"> <li>Dapagliflozin</li> </ul>



Dipeptidyl peptidase-4 (DDP-4) inhibitors	<ul style="list-style-type: none"> <li>• Alogliptin</li> <li>• Linagliptin</li> </ul>	<ul style="list-style-type: none"> <li>• Saxagliptin</li> <li>• Sitagliptin</li> </ul>
Sulfonylureas	<ul style="list-style-type: none"> <li>• Chlorpropamide</li> <li>• Glimepiride</li> </ul>	<ul style="list-style-type: none"> <li>• Glipizide</li> <li>• Glyburide</li> <li>• Tolazamide</li> <li>• Tolbutamide</li> </ul>
Thiazolidinediones	<ul style="list-style-type: none"> <li>• Pioglitazone</li> </ul>	<ul style="list-style-type: none"> <li>• Rosiglitazone</li> </ul>

## Denominator Exclusions

Exclude patients with a diagnosis of gestational diabetes or steroid induced diabetes.

Denominator Codes	
ICD10-CM	E08.00, E08.01, E08.10, E08.11, E08.21, E08.22, E08.29, E08.311, E08.319, E08.321, E08.3211, E08.3212, E08.3213, E08.3219, E08.329, E08.3291, E08.3292, E08.3293, E08.3299, E08.331, E08.3311, E08.3312, E08.3313, E08.3319, E08.339, E08.3391, E08.3392, E08.3393, E08.3399, E08.341, E08.3411, E08.3412, E08.3413, E08.3419, E08.349, E08.3491, E08.3492, E08.3493, E08.3499, E08.351, E08.3511, E08.3512, E08.3513, E08.3519, E08.3521, E08.3522, E08.3523, E08.3529, E08.3531, E08.3532, E08.3533, E08.3539, E08.3541, E08.3542, E08.3543, E08.3549, E08.3551, E08.3552, E08.3553, E08.3559, E08.359, E08.3591, E08.3592, E08.3593, E08.3599, E08.36, E08.37X1, E08.37X2, E08.37X3, E08.37X9, E08.39, E08.40, E08.41, E08.42, E08.43, E08.44, E08.49, E08.51, E08.52, E08.59, E08.610, E08.618, E08.620, E08.621, E08.622, E08.628, E08.630, E08.638, E08.641, E08.649, E08.65, E08.69, E08.8, E08.9, E09.00, E09.01, E09.10, E09.11, E09.21, E09.22, E09.29, E09.311, E09.319, E09.321, E09.3211, E09.3212, E09.3213, E09.3219, E09.329, E09.3291, E09.3292, E09.3293, E09.3299, E09.331, E09.3311, E09.3312, E09.3313, E09.3319, E09.339, E09.3391, E09.3392, E09.3393, E09.3399, E09.341, E09.3411, E09.3412, E09.3413, E09.3419, E09.349, E09.3491, E09.3492, E09.3493, E09.3499, E09.351, E09.3511, E09.3512, E09.3513, E09.3519, E09.3521, E09.3522, E09.3523, E09.3529, E09.3531, E09.3532, E09.3533, E09.3539, E09.3541, E09.3542, E09.3543, E09.3549, E09.3551, E09.3552, E09.3553, E09.3559, E09.359, E09.3591, E09.3592, E09.3593, E09.3599, E09.36, E09.37X1, E09.37X2, E09.37X3, E09.37X9, E09.39, E09.40, E09.41, E09.42, E09.43, E09.44, E09.49, E09.51, E09.52, E09.59, E09.610, E09.618, E09.620, E09.621, E09.622, E09.628, E09.630, E09.638, E09.641, E09.649, E09.65, E09.69, E09.8, E09.9, O24.410, O24.414, O24.415, O24.419, O24.420, O24.424, O24.425, O24.429, O24.430, O24.434, O24.435, O24.439, O24.911, O24.912, O24.913, O24.919, O24.92, O24.93

Exclude members who meet any of the following criteria:

**Note:** Supplemental and medical record data may not be used for these exclusions.

- Medicare members 66 years of age and older as of December 31 of the measurement year who meet either of the following:
  - Enrolled in an Institutional SNP (I-SNP) any time during the measurement year.



- Living long-term in an institution any time during the measurement year as identified by the LTI flag in the Monthly Membership Detail Data File. Use the run date of the file to determine if a member had an LTI flag during the measurement year.
- Members 66 years of age and older as of December 31 of the measurement year (all product lines) with frailty **and** advanced illness. Members must meet **BOTH** of the following frailty and advanced illness criteria to be excluded:
  1. At least one claim/encounter for frailty during the measurement year.
  2. Any of the following during the measurement year or the year prior to the measurement year (count services that occur over both years):
    - At least two outpatient visits, observation visits, ED visits, nonacute inpatient encounters or nonacute inpatient discharges (instructions below; the diagnosis must be on the discharge claim) on different dates of service, with an advanced illness diagnosis. Visit type need not be the same for the two visits. To identify a nonacute inpatient discharge:
      1. Identify all acute and nonacute inpatient stays.
      2. Confirm the stay was for nonacute care based on the presence of a nonacute code on the claim.
      3. Identify the discharge date for the stay.
    - At least one acute inpatient encounter with an advanced illness diagnosis.
    - At least one acute inpatient discharge with an advanced illness diagnosis on the discharge claim. To identify an acute inpatient discharge:
      1. Identify all acute and nonacute inpatient stays.
      2. Exclude nonacute inpatient stays.

Exclusion Codes		
Frailty	ICD-10	L89.119, L89.139, L89.149, L89.159, L89.209, L89.309, L89.899, L89.90, M62.50, M62.81, M62.84, W01.0XXA, W01.0XXD, W01.0XXS, W01.10XA, W01.10XD, W01.10XS, W01.110A, W01.110D, W01.110S, W01.111A, W01.111D, W01.111S, W01.118A, W01.118D, W01.118S, W01.119A, W01.119D, W01.119S, W01.190A, W01.190D, W01.190S, W01.198A, W01.198D, W01.198S, W06.XXXA, W06.XXXD, W06.XXXS, W07.XXXA, W07.XXXD, W07.XXXS, W08.XXXA, W08.XXXD, W08.XXXS, W10.0XXA, W10.0XXD, W10.0XXS, W10.1XXA, W10.1XXD, W10.1XXS, W10.2XXA, W10.2XXD, W10.2XXS, W10.8XXA, W10.8XXD, W10.8XXS, W10.9XXA, W10.9XXD, W10.9XXS, W18.00XA, W18.00XD, W18.00XS, W18.02XA, W18.02XD, W18.02XS, W18.09XA, W18.09XD, W18.09XS, W18.11XA, W18.11XD, W18.11XS, W18.12XA, W18.12XD, W18.12XS, W18.2XXA, W18.2XXD, W18.2XXS, W18.30XA, W18.30XD, W18.30XS, W18.31XA, W18.31XD, W18.31XS, W18.39XA, W18.39XD, W18.39XS, W19.XXXA, W19.XXXD, W19.XXXS, Y92.199, Z59.3, Z73.6, Z74.01, Z74.09, Z74.1, Z74.2, Z74.3, Z74.8, Z74.9, Z91.81, Z99.11, Z99.3, Z99.81, Z99.89, R26.0, R26.1, R26.2, R26.89, R26.9, R41.81, R53.1, R53.81, R53.83, R54, R62.7, R63.4, R63.6, R64





Outpatient Visits	CPT	99201, 99202, 99203, 99204, 99205, 99211, 99212, 99213, 99214, 99215, 99241, 99242, 99243, 99244, 99245, 99341, 99342, 99343, 99344, 99345, 99347, 99348, 99349, 99350, 99381, 99382, 99383, 99384, 99385, 99386, 99387, 99391, 99392, 99393, 99394, 99395, 99396, 99397, 99401, 99402, 99403, 99404, 99411, 99412, 99429, 99455, 99456, 99483
ED Visits	CPT	99281, 99282, 99283, 99284, 99285
Nonacute Inpatient visits	UBREV	22, 24, 118, 128, 138, 148, 158, 190, 191, 192, 193, 194, 199, 524, 525, 550, 551, 552, 559, 660, 661, 662, 663, 669, 1000, 1001, 1002
Advanced Illness	ICD-10	A81.00, A81.01, C25.0, C25.1, C25.2, C25.3, C25.4, C25.7, C25.8, C25.9, C71.0, C71.1, C71.2, C71.3, C71.4, C71.5, C71.6, C71.7, C71.8, C71.9, C77.0, C77.1, C77.2, C77.3, C77.4, C77.5, C77.8, C77.9, C78.00, C78.01, C78.02, C78.1, C78.2, C78.30, C78.39, C78.4, C78.5, C78.6, C78.7, C78.80, C78.89, C79.00, C79.01, C79.02, C79.10, C79.11, C79.19, C79.2, C79.31, C79.32, C79.40, C79.49, C79.51, C79.52, C79.60, C79.61, C79.62, C79.70, C79.71, C79.72, C79.81, C79.82, C79.89, C79.9, C91.00, C91.02, C92.00, C92.02, C93.00, C93.02, C93.90, C93.92, C93.Z0, C93.Z2, C94.30, C94.32, F01.50, F01.51, F02.80, F02.81, F03.90, F03.91, F04, F10.27, F10.96, F10.97, G10, G12.21, G20, G30.0, G30.1, G30.8, G30.9, G31.01, G31.09, G31.83, I09.81, I11.0, I12.0, I13.0, I13.11, I13.2, I50.1, I50.20, I50.21, I50.22, I50.23, I50.30, I50.31, I50.32, I50.33, I50.40, I50.41, I50.42, I50.43, I50.810, I50.811, I50.812, I50.813, I50.814, I50.82, I50.83, I50.84, I50.89, I50.9, J43.0, J43.1, J43.2, J43.8, J43.9, J68.4, J84.10, J84.112, J84.17, J96.10, J96.11, J96.12, J96.20, J96.21, J96.22, J96.90, J96.91, J96.92, J98.2, J98.3, K70.10, K70.11, K70.2, K70.30, K70.31, K70.40, K70.41, K70.9, K74.0, K74.1, K74.2, K74.4, K74.5, K74.60, K74.69, L89.000, L89.001, L89.002, L89.003, L89.004, L89.006, L89.009, L89.010, L89.011, L89.012, L89.013, L89.014, L89.016, L89.019, L89.020, L89.021, L89.022, L89.023, L89.024, L89.026, L89.029, L89.100, L89.101, L89.102, L89.103, L89.104, L89.106, L89.109, L89.110, L89.111, L89.112, L89.113, L89.114, L89.116, L89.119, L89.120, L89.121, L89.122, L89.123, L89.124, L89.126, L89.129, L89.130, L89.131, L89.132, L89.133, L89.134, L89.136, L89.139, L89.140, L89.141, L89.142, L89.143, L89.144, L89.146, L89.149, L89.150, L89.151, L89.152, L89.153, L89.154, L89.156, L89.159, L89.200, L89.201, L89.202, L89.203, L89.204, L89.206, L89.209, L89.210, L89.211, L89.212, L89.213, L89.214, L89.216, L89.219, L89.220, L89.221, L89.222, L89.223, L89.224, L89.226, L89.229, L89.300, L89.301, L89.302, L89.303, L89.304, L89.306, L89.309, L89.310, L89.311, L89.312, L89.313, L89.314, L89.316, L89.319, L89.320, L89.321, L89.322, L89.323, L89.324, L89.326, L89.329, L89.40, L89.41, L89.42, L89.43, L89.44, L89.45, L89.46, L89.500, L89.501, L89.502, L89.503, L89.504, L89.506, L89.509, L89.510, L89.511, L89.512, L89.513, L89.514, L89.516, L89.519, L89.520, L89.521, L89.522, L89.523, L89.524, L89.526, L89.529, L89.600, L89.601, L89.602, L89.603, L89.604, L89.606, L89.609, L89.610, L89.611, L89.612, L89.613, L89.614, L89.616, L89.619, L89.620, L89.621, L89.622, L89.623, L89.624, L89.626, L89.629, L89.810, L89.811, L89.812, L89.813, L89.814, L89.816, L89.819, L89.890, L89.891, L89.892, L89.893, L89.894, L89.896, L89.899, L89.90, L89.91, L89.92, L89.93, L89.94, L89.95, L89.96, N18.5, N18.6
Inpatient Stays	UBREV	100, 101, 110, 111, 112, 113, 114, 116, 117, 118, 119, 120, 121, 122, 123, 124, 126, 127, 128, 129, 130, 131, 132, 133, 134, 136, 137, 138, 139, 140, 141, 142, 143, 144, 146, 147, 148, 149, 150, 151, 152, 153, 154, 156, 157, 158, 159, 160, 164, 167, 169, 170, 171, 172, 173, 174, 179, 190, 191, 192, 193, 194, 199, 200, 201, 202, 203, 204, 206, 207, 208, 209, 210, 211, 212, 213, 214, 219, 1000, 1001, 1002





Dementia Medications	<b>Cholinesterase Inhibitors</b> <ul style="list-style-type: none"><li>- Donepezil</li><li>- Galantamine</li><li>- Rivastigmine</li></ul>	<b>Miscellaneous central nervous system agents</b> <ul style="list-style-type: none"><li>- Memantine</li></ul>
----------------------	---	--

## Notes

- Measure Steward is NCQA

