

Appendix D FDA Required Data Elements

Proposed Colorado Importation NDC	Active Ingredient(s)	Canadian Brand Name	Canadian Generic Name	DIN	Canadian Company Name	Canadian Company Address	CAN strength	Canadian Dosage Form	Canadian Ingredients (Active & Inactive/Non-medicinal)	US Brand Name	US Generic Name	US NDC	US Applicant Holder Name	Applicant Holder Address	Finished Product Mfr	API Mfr	NDA Number	Orange Book Marketing Status Verification Date	US Strength	US Dosage Form	US Ingredients (Active & Inactive)
84098-001-30	bictegravir, emtricitabine, and tenofovir alafenamide	Biktarvy	Bictegravir emtricitabine tenofovir alafenamide	2478579	Gilead Sciences Canada Inc.	600 6711 Mississauga Road Mississauga Ontario Canada L5N 2W3	50-200-25 mg	tablet	Active: 50mg of bictegravir (equivalent to 52.5mg of bictegravir sodium), 200mg of emtricitabine, and 25mg of tenofovir alafenamide (equivalent to 28.0mg of tenofovir alafenamide humifumarate) Non-medicinal: croscarmellose sodium, iron oxide black, iron oxide red, magnesium stearate, microcrystalline cellulose, polyethylene glycol, polyvinyl alcohol, talc, and titanium-dioxide	Biktarvy	Bictegravir, emtricitabine, and tenofovir alafenamide	61958-2501-01	Gilead Sciences, Inc.	333 Lakeside Drive Foster City, CA 94404	Not Avail.	Not Avail.	210251	12/11/2023	50-200-25 mg	tablet	Active: Bictegravir, emtricitabine, and tenofovir alafenamide Inactive: microcrystalline cellulose, croscarmellose sodium, magnesium stearate,, water, polyvinyl alcohol (unspecified), titanium dioxide, polyethylene glycol (unspecified), talc, ferrosferric oxide, ferric oxide red
84098-002-60	apixaban	Eliquis	apixaban	2377233	Bristol-Myers Squibb Canada	2344 Boul. Alfred-Nobel, Suite 300 Montréal (St-Laurent) Quebec Canada H4S 0A4	2.5mg	tablet	Active: apixaban 2.5mg Non-medicinal ingredients: Anhydrous lactose, croscarmellose sodium, hypromellose, lactose monohydrate, magnesium stearate, microcrystalline cellulose, sodium lauryl sulphate, titanium dioxide, triacetin, and yellow iron oxide Active Ingredient: Apixaban	Eliquis	Apixaban	00003-0893-21	Bristol-Myers Squibb	P.O. Box 4000 Princeton, NJ 08543-4000	Not Avail.	Not Avail.	202155	12/11/2023	2.5mg	tablet	Active: apixaban Inactive ingredients: anhydrous lactose, microcrystalline cellulose, croscarmellose sodium, sodium lauryl sulfate, and magnesium stearate. The film coating contains lactose monohydrate, hypromellose, titanium dioxide, triacetin, and ferric oxide yellow
84098-003-60	Apalutamide	Erleada	Apalutamide	2478374	Janssen Inc	19 Green Belt Drive Toronto, Ontario Canada M3C1L9	60mg	tablet	Active: apalutamide 60mg Non-medicinal: Tablet Core: colloidal anhydrous silica, croscarmellose sodium, hydroxypropyl methylcellulose-acetate succinate (HPMC-AS), magnesium stearate, microcrystalline cellulose, and silicified microcrystalline cellulose. Tablet Coating: iron oxide black (E172), iron oxide yellow (E172), polyethylene glycol, polyvinyl alcohol, talc, and titanium dioxide.	Erleada	Apalutamide	59676-600-12	Janssen Products, LP	Janssen Products, LP, Horsham, PA 19044, USA	Not Avail.	Not Avail.	210951	12/11/2023	60mg	tablet	Active: apalutamide Inactive: colloidal anhydrous silica, croscarmellose sodium, hydroxypropyl methylcellulose-acetate succinate, magnesium stearate, microcrystalline cellulose, and silicified microcrystalline cellulose. The coating contains iron oxide black, iron oxide yellow, polyethylene glycol, polyvinyl alcohol, talc, and titanium dioxide.
84098-007-60	sitagliptin/ metformin	Janumet	Sitagliptin phosphate monohydrate/ metformin hydrochloride	2333856	Merck Canada Inc.	16750 Route Transcanadienne Kirkland Quebec Canada H9H 4M7	50-500mg	tablet	Active: sitagliptin phosphate monohydrate and metformin hydrochloride Non-medicinal: Black iron oxide, microcrystalline cellulose, polyethylene glycol, polyvinyl alcohol, polyvinylpyrrolidone, red iron oxide, sodium lauryl sulfate, sodium stearyl fumarate, talc and titanium dioxide.	Janumet	Sitagliptin phosphate monohydrate/ metformin hydrochloride	0006-0575-61	Merck Sharp & Dohme Corp.	Whitehouse Station, NJ 08890	Not Avail.	Not Avail.	22044	12/12/2023	50-500mg	tablet	Active: sitagliptin phosphate, metformin hydrochloride Inactive: ferrosferric oxide, microcrystalline cellulose, polyethylene glycol (unspecified), polyvinyl alcohol (unspecified), povidone K30, ferric oxide red, sodium lauryl sulfate, sodium stearyl fumarate, talc, titanium dioxide
84098-008-60	sitagliptin/ metformin	Janumet	Sitagliptin phosphate monohydrate/ metformin hydrochloride	2333872	Merck Canada Inc.	16750 Route Transcanadienne Kirkland Quebec Canada H9H 4M7	50-1000mg	tablet	Active: sitagliptin phosphate monohydrate and metformin hydrochloride Non-medicinal: Black iron oxide, microcrystalline cellulose, polyethylene glycol, polyvinyl alcohol, polyvinylpyrrolidone, red iron oxide, sodium lauryl sulfate, sodium stearyl fumarate, talc and titanium dioxide.	Janumet	Sitagliptin phosphate monohydrate/ metformin hydrochloride	0006-0577-61	Merck Sharp & Dohme Corp.	Whitehouse Station, NJ 08891	Not Avail.	Not Avail.	22044	12/12/2023	50-1000mg	tablet	Active: sitagliptin phosphate, metformin hydrochloride Inactive: ferrosferric oxide, microcrystalline cellulose, polyethylene glycol (unspecified), polyvinyl alcohol (unspecified), povidone K30, ferric oxide red, sodium lauryl sulfate, sodium stearyl fumarate, talc, titanium dioxide
84098-009-30	sitagliptin	Januvia	Sitagliptin (Sitagliptin phosphate monohydrate)	2388839	Merck Canada Inc.	16750 Route Transcanadienne Kirkland Quebec Canada H9H 4M7	25mg	tablet	Active: sitagliptin phosphate monohydrate 32.13mg (25mg sitagliptin) Non-medicinal: Anhydrous dibasic calcium phosphate (calcium hydrogen phosphate, anhydrous), croscarmellose sodium, magnesium stearate, microcrystalline cellulose, polyethylene glycol (macrogol), polyvinyl alcohol, red iron oxide, sodium stearyl fumarate, talc, titanium dioxide, and yellow iron oxide.	Januvia	Sitagliptin phosphate	0006-0221-31	Merck Sharp & Dohme Corp.	Whitehouse Station, NJ 08889	Not Avail.	Not Avail.	21995	12/12/2023	25mg	tablet	Active: sitagliptin phosphate Inactive: anhydrous dibasic calcium phosphate, croscarmellose sodium, magnesium stearate, microcrystalline cellulose, polyethylene glycol (unspecified), polyvinyl alcohol (unspecified), ferric oxide red, sodium steryl fumarate, talc, titanium dioxide, ferric oxide yellow.

Proposed Colorado Importation NDC	Active Ingredient(s)	Canadian Brand Name	Canadian Generic Name	DIN	Canadian Company Name	Canadian Company Address	CAN strength	Canadian Dosage Form	Canadian Ingredients (Active & Inactive/Non-medicinal)	US Brand Name	US Generic Name	US NDC	US Applicant Holder Name	Applicant Holder Address	Finished Product Mfr	API Mfr	NDA Number	Orange Book Marketing Status Verification Date	US Strength	US Dosage Form	US Ingredients (Active & Inactive)
84098-010-30	sitagliptin	Januvia	Sitagliptin (Sitagliptin phosphate monohydrate)	2388847	Merck Canada Inc.	16750 Route Transcanadienne Kirkland Quebec Canada H9H 4M7	50mg	tablet	Active: sitagliptin phosphate monohydrate 64.25mg (50mg sitagliptin) Non-medicinal: Anhydrous dibasic calcium phosphate (calcium hydrogen phosphate, anhydrous), croscarmellose sodium, magnesium stearate, microcrystalline cellulose, polyethylene glycol (macrogol), polyvinyl alcohol, red iron oxide, sodium stearyl fumarate, talc, titanium dioxide, and yellow iron oxide.	Januvia	Sitagliptin phosphate	0006-0112-31	Merck Sharp & Dohme Corp.	Whitehouse Station, NJ 08889	Not Avail.	Not Avail.	21995	12/12/2023	50mg	tablet	Active: sitagliptin phosphate Inactive: anhydrous dibasic calcium phosphate, croscarmellose sodium, magnesium stearate, microcrystalline cellulose, polyethylene glycol (unspecified), polyvinyl alcohol (unspecified), ferric oxide red, sodium steryl fumarate, talc, titanium dioxide, ferric oxide yellow.
84098-011-10	sitagliptin	Januvia	Sitagliptin (Sitagliptin phosphate monohydrate)	2303922	Merck Canada Inc.	16750 Route Transcanadienne Kirkland Quebec Canada H9H 4M7	100mg	tablet	Active: sitagliptin phosphate monohydrate 128.5mg (100mg sitagliptin) Non-medicinal: Anhydrous dibasic calcium phosphate (calcium hydrogen phosphate, anhydrous), croscarmellose sodium, magnesium stearate, microcrystalline cellulose, polyethylene glycol (macrogol), polyvinyl alcohol, red iron oxide, sodium stearyl fumarate, talc, titanium dioxide, and yellow iron oxide.	Januvia	Sitagliptin phosphate	0006-0277-31	Merck Sharp & Dohme Corp.	Whitehouse Station, NJ 08889	Not Avail.	Not Avail.	21995	12/12/2023	100mg	tablet	Active: sitagliptin phosphate Inactive: anhydrous dibasic calcium phosphate, croscarmellose sodium, magnesium stearate, microcrystalline cellulose, polyethylene glycol (unspecified), polyvinyl alcohol (unspecified), ferric oxide red, sodium steryl fumarate, talc, titanium dioxide, ferric oxide yellow.
84098-012-30	emtricitabine, tenofovir alafenamide and rilpivirine	Odefsey	emtricitabine, tenofovir alafenamide and rilpivirine	2461463	Gilead Sciences Canada Inc.	600 6711 Mississauga Road Mississauga Ontario Canada L5N 2W3	200-25-25mg	tablet	Active: emtricitabine, tenofovir alafenamide and rilpivirine Inactive ingredients: croscarmellose sodium, lactose monohydrate, magnesium stearate, microcrystalline cellulose, polysorbate 20 and povidone. The tablets are coated with a coating material containing polyvinyl alcohol, titanium dioxide, macrogol/polyethylene glycol, talc, and iron oxide black.	Odefsey	emtricitabine, tenofovir alafenamide and rilpivirine	61958-2101-1	Gilead Sciences, Inc.	333 Lakeside Drive Foster City, CA 94404	Not Avail.	Not Avail.	208351	12/12/2023	200mg-25mg-25mg	tablet	Active: emtricitabine, tenofovir alafenamide and rilpivirine Inactive: croscarmellose sodium, lactose monohydrate, magnesium stearate, microcrystalline cellulose, polysorbate 20, and povidone. The tablets are film-coated with a coating material containing iron oxide black, polyethylene glycol, polyvinyl alcohol, talc, and titanium dioxide.
84098-013-60	apremilast	Otezla	apremilast	2434334	Amgen Canada Inc.	300 6775 Financial Drive Mississauga Ontario Canada L5N 0A4	30mg	tablet	Active: apremilast Non-medicinal: microcrystalline cellulose, lactose monohydrate, croscarmellose sodium, magnesium stearate, polyvinyl alcohol, titanium dioxide, polyethylene glycol, talc, iron oxide red, iron oxide yellow and iron oxide black	Otezla	apremilast	55513-137-60	Amgen	Amgen Inc. Thousand Oaks, CA 91320-1799	Not Avail.	Not Avail.	205437	12/12/2023	30mg	tablet	Active: apremilast Inactive ingredients: lactose monohydrate, microcrystalline cellulose, croscarmellose sodium, magnesium stearate, polyvinyl alcohol, titanium dioxide, polyethylene glycol, talc, iron oxide red, iron oxide yellow, and iron oxide black
84098-014-03	semaglutide	Ozempic	semaglutide	2540258	Novo Nordisk Canada	101-2476 Argentia Road Mississauga Ontario Coanada L5N 6M1	0.68mg/mL	SubQ	Active: Semaglutide Inactive: disodium phosphate dihydrate, propylene glycol, phenol, and water for injections	Ozempic	semaglutide	0169-4181-13	Novo Nordisk	800 Scudders Mill Road Plainsboro, NJ 08536	Not Avail.	Not Avail.	209637	12/12/2013	2 mg/3 mL (0.68 mg/mL)	SubQ	Active: semaglutide Inactive ingredients: disodium phosphate dihydrate, 1.42 mg; propylene glycol, 14.0 mg; phenol, 5.50 mg; and water for injections.
84098-015-03	semaglutide	Ozempic	semaglutide	2471477	Novo Nordisk Canada	101-2476 Argentia Road Mississauga Ontario Coanada L5N 6M1	1.34mg/mL	SubQ	Active: Semaglutide Inactive: disodium phosphate dihydrate, propylene glycol, phenol, and water for injections	Ozempic	semaglutide	0169-4130-13	Novo Nordisk	800 Scudders Mill Road Plainsboro, NJ 08536	Not Avail.	Not Avail.	209637	12/12/2023	4mg/3mL (1.34mg/mL)	SubQ	Active: semaglutide Inactive ingredients: disodium phosphate dihydrate, 1.42 mg; propylene glycol, 14.0 mg; phenol, 5.50 mg; and water for injections.
84098-016-30	darunavir and cobicistat	Prezcobix	darunavir and cobicistat	2426501	Janssen Inc	19 Green Belt Drive Toronto, Ontario Canada M3C1L9	800mg-150mg	tablet	Active: darunavir & cobicistat Inactive: silicified microcrystalline cellulose, crospovidone, hypromellose, and magnesium stearate. The tablet film coating contains OPADRY® II Pink (polyethylene glycol, polyvinyl alcohol - partially hydrolyzed, talc, titanium dioxide, iron oxide red, iron oxide black).	Prezcobix	darunavir and cobicistat	59676-575-30	Janssen Products, LP	Janssen Products, LP, Horsham, PA 19044, USA	Not Avail.	Not Avail.	205395	12/12/2023	800mg-150mg	tablet	Active: darunavir & cobicistat Inactive ingredients: colloidal silicon dioxide, crospovidone, hypromellose, magnesium stearate, and silicified microcrystalline cellulose. The tablets are film-coated with a coating material containing iron oxide black, iron oxide red, polyethylene glycol, polyvinyl alcohol (partially hydrolyzed), talc, and titanium dioxide.

Proposed Colorado Importation NDC	Active Ingredient(s)	Canadian Brand Name	Canadian Generic Name	DIN	Canadian Company Name	Canadian Company Address	CAN strength	Canadian Dosage Form	Canadian Ingredients (Active & Inactive/Non-medicinal)	US Brand Name	US Generic Name	US NDC	US Applicant Holder Name	Applicant Holder Address	Finished Product Mfr	API Mfr	NDA Number	Orange Book Marketing Status Verification Date	US Strength	US Dosage Form	US Ingredients (Active & Inactive)
84098-017-30	upadacitinib	Rinvoq	upadacitinib	2495155	AbbVie Corporation	8401 Trans-Canada Highway Saint-Laurent Quebec Canada H4S 1Z1	15mg	tablet (extended-release)	Active: upadacitinib Inactive: black iron oxide (E172)/ferrosoferric oxide, hypromellose, iron oxide red (E172), macrogol/polyethylene glycol, magnesium stearate, mannitol, microcrystalline cellulose, polyvinyl alcohol, silica (colloidal anhydrous)/colloidal silicon dioxide, talc, tartaric acid, and titanium dioxide (E171)	Rinvoq	upadacitinib	0074-2306-30	Abbvie Inc.	AbbVie Inc., North Chicago, IL 60064, USA	Not Avail.	Not Avail.	211675	12/12/2023	15mg	tablet (extended-release)	Active: upadacitinib Inactive ingredients: colloidal silicon dioxide, ferrosoferric oxide, hypromellose, iron oxide red, magnesium stearate, mannitol, microcrystalline cellulose, polyvinyl alcohol, polyethylene glycol, talc, tartaric acid and titanium dioxide.
84098-019-30	dasatinib	Sprycel	dasatinib monohydrate	2320193	Bristol-Myers Squibb Canada	2344 Boul. Alfred-Nobel, Suite 300 Montréal (St-Laurent) Quebec Canada H4S 0A4	100mg	tablet	Active: dasatinib monohydrate Inactive: Tablet core: croscarmellose sodium, hydroxypropyl cellulose, lactose monohydrate, magnesium stearate and microcrystalline cellulose. Film-coating: hypromellose, polyethylene glycol and titanium dioxide.	Sprycel	dasatinib	0003-0852-22	E.R Squibb & Sonns, LLC	Bristol-Myers Squibb Company Princeton, NJ 08543 USA	Not Avail.	Not Avail.	021986	12/12/2023	100mg	tablet	Active: dasatinib Inactive ingredients: lactose monohydrate, microcrystalline cellulose, croscarmellose sodium, hydroxypropyl cellulose, and magnesium stearate. The tablet coating consists of hypromellose, titanium dioxide, and polyethylene glycol.
84098-020-30	emtricitabine, tenofovir alafenamide, darunavir, and cobicistat	Symtuza	emtricitabine, tenofovir alafenamide, darunavir, and cobicistat	2473720	Janssen Inc	19 Green Belt Drive Toronto, Ontario Canada M3C1L9	800mg-150mg-200mg-10mg	tablet	Active: emtricitabine, tenofovir alafenamide, darunavir, and cobicistat Inactive: Tablet core: colloidal silicon dioxide, croscarmellose sodium, magnesium stearate, microcrystalline cellulose. Film-coating: polyethylene glycol (macrogol), polyvinyl alcohol (partially hydrolyzed), talc, titanium dioxide, yellow ferric oxide.	Symtuza	emtricitabine, tenofovir alafenamide, darunavir, and cobicistat	59676-800-30	Janssen Products, LP	Janssen Products, LP, Horsham, PA 19044, USA	Not Avail.	Not Avail.	210455	12/12/2023	800mg-150mg-200mg-10mg	tablet	Active: emtricitabine, tenofovir alafenamide, darunavir, and cobicistat Inactive ingredients: colloidal silicon dioxide, croscarmellose sodium, magnesium stearate, and microcrystalline cellulose. The tablets are film-coated with a coating material containing polyethylene glycol (macrogol), polyvinyl alcohol (partially hydrolyzed), talc, titanium dioxide, and yellow ferric oxide.
84098-021-30	dolutegravir	Tivicay	dolutegravir	2414945	ViiV Healthcare Ulc.	1400 75 Rue Queen Montreal Quebec Canada H3C 2N6	50mg	tablet	Active: dolutegravir Inactive: D-mannitol, iron oxide yellow, macrogol/PEG, microcrystalline cellulose, povidone K29/32, sodium starch glycolate, sodium stearyl fumarate, polyvinyl alcohol - part hydrolyzed, talc, titanium dioxide	Tivicay	dolutegravir	49702-228-13	ViiV Healthcare Company	406 Blackwell St Durham NC 27701	Not Avail.	Not Avail.	204790	12/12/2023	50mg	tablet	Active: dolutegravir Inactive: D-mannitol, microcrystalline cellulose, povidone K29/32, sodium starch glycolate, and sodium stearyl fumarate. The tablet film coating contains the inactive ingredients iron oxide yellow, macrogol/PEG, polyvinyl alcohol-part hydrolyzed, talc, and titanium dioxide.

Proposed Colorado Importation NDC	Active Ingredient(s)	Canadian Brand Name	Canadian Generic Name	DIN	Canadian Company Name	Canadian Company Address	CAN strength	Canadian Dosage Form	Canadian Ingredients (Active & Inactive/Non-medicinal)	US Brand Name	US Generic Name	US NDC	US Applicant Holder Name	Applicant Holder Address	Finished Product Mfr	API Mfr	NDA Number	Orange Book Marketing Status Verification Date	US Strength	US Dosage Form	US Ingredients (Active & Inactive)
84098-022-84	elexacaftor, tezacaftor, and ivacaftor	TRIKAFTA	Elexacaftor/tezacaftor/ivacaftor	2517140	Vertex Pharmaceuticals (Canada) Incorporated	1520 20 Bay Street Toronto Ontario Canada M5J 2N8	100/50/75 and ivacaftor 150 mg tablets	tablet/dosing blister pack	Active: Elexacaftor/tezacaftor/ivacaftor tablet & ivacaftor tablet Inactive elexacaftor/tezacaftor/ivacaftor tablet: Tablet core: Croscarmellose sodium, hypromellose, hypromellose acetate succinate, magnesium stearate, microcrystalline cellulose, sodium lauryl sulfate; Tablet film coat: Hydroxypropyl cellulose, hypromellose, Iron oxide red, iron oxide yellow, talc, titanium dioxide Ivacaftor Tablet core: Colloidal silicon dioxide, croscarmellose sodium, hypromellose acetate succinate, lactose monohydrate, magnesium stearate, microcrystalline cellulose, sodium lauryl sulfate; Tablet film coat: Carnauba wax, indigo carmine aluminum lake, PEG 3350, polyvinyl alcohol, talc, titanium dioxide; Printing ink: Ammonium hydroxide, iron oxide black, propylene glycol, shellac	Trikafta	Elexacaftor/tezacaftor/ivacaftor	51167-331-01	Vertex Pharmaceuticals Incorporated	Vertex Pharmaceuticals 50 Northern Avenue Boston, Mass. 02210 United States	Not Avail.	Not Avail.	212273	12/12/2023	100/50/75 and ivacaftor 150 mg tablets	tablet/dosing pack	Active: Elexacaftor/tezacaftor/ivacaftor tablet & ivacaftor tablet Inactive ingredients: croscarmellose sodium, hypromellose, hypromellose acetate succinate, magnesium stearate, microcrystalline cellulose, and sodium lauryl sulfate. The tablet film coat contains hydroxypropyl cellulose, hypromellose, iron oxide red, iron oxide yellow, talc, and titanium dioxide. Inactive ingredients: colloidal silicon dioxide, croscarmellose sodium, hypromellose acetate succinate, lactose monohydrate, magnesium stearate, microcrystalline cellulose and sodium lauryl sulfate. The tablet film coat contains carnauba wax, FD&C Blue #2, PEG 3350, polyvinyl alcohol, talc, and titanium dioxide. The printing ink contains ammonium hydroxide, iron oxide black, propylene glycol, and shellac
84098-023-30	dolutegravir, abacavir, and lamivudine	Triumeq	dolutegravir, abacavir, and lamivudine	2430932	ViiV Healthcare Ulc.	1400 75 Rue Queen Montreal Quebec Canada H3C 2N6	600-50-300mg	tablet	Active: dolutegravir, abacavir, and lamivudine Non-medicinal: D-mannitol, magnesium stearate, microcrystalline cellulose, povidone K29/32, and sodium starch glycolate. The tablet film-coating (OPADRY II Purple 85F90057) contains the inactive ingredients iron oxide black, iron oxide red, macrogol/PEG, polyvinyl alcohol-part hydrolyzed, talc, and titanium dioxide.	Triumeq	dolutegravir, abacavir, and lamivudine	49702-231-13	ViiV Healthcare Company	406 Blackwell St Durham NC 27701	Not Avail.	Not Avail.	205551	12/12/2023	600-50-300mg	tablet	Active: dolutegravir, abacavir, and lamivudine Inactive ingredients: include D-mannitol, magnesium stearate, microcrystalline cellulose, povidone, and sodium starch glycolate. The tablet film coating contains the inactive ingredients iron oxide black, iron oxide red, macrogol/PEG, polyvinyl alcohol-part hydrolyzed, talc, and titanium oxide
84098-024-12	liraglutide	Victoza	Liraglutide	2351064	Novo Nordisk Canada	101-2476 Argenta Road Mississauga Ontario Coanada L5N 6M1	18mg/3mL	Pre-filled disposable pen	Active: liraglutide Inactive: Disodium phosphate dihydrate, propylene glycol, phenol and water for injections.	Victoza	liraglutide	0169-4060-12	Novo Nordisk	800 Scudders Mill Road Plainsboro, NJ 08536	Not Avail.	Not Avail.	22341	12/12/2023	18mg/3mL	Pre-filled disposable pen	Active: liraglutide Inactive ingredients: disodium phosphate dihydrate, 1.42 mg; propylene glycol, 14 mg; phenol, 5.5 mg; and water for injection.

Drug Molecule	Drug Grade	Package Match	Strength Match	Ingredient Match	Description Match
Biktarvy	A	Y	Y	Y	Y
Eliquis	A	Y	Y	Y	Y
Erleada	A	Y	Y	Y	Y
Janumet	A	Y	Y	Y	Y
Janumet	A	Y	Y	Y	Y
Januvia	A	Y	Y	Y	Y
Januvia	A	Y	Y	Y	Y
Januvia	A	Y	Y	Y	Y
Odefsey	A	Y	Y	Y	Y
Otezla	A	Y	Y	Y	Y
Ozempic	A	Y	Y	Y	Y
Ozempic	A	Y	Y	Y	Y
Prezcobix	A	Y	Y	Y	Y
Rinvoq	A	Y	Y	Y	Y
Sprycel	A	Y	Y	Y	Y
Symtuza	A	Y	Y	Y	Y
Tivicay	A	Y	Y	Y	Y
Trikafta	A	Y	Y	Y	Y
Triumeq	A	Y	Y	Y	Y
Victoza 3 Pak	A	Y	Y	Y	Y

Ingredients Match? (Y/N)	CA Brand Name	US- Inactive ingredient	CA- Inactive Ingredient	CAS	IID y/n
Y	Biktarvy	croscarmellose sodium	croscarmellose sodium	74811657	Y
Y	Biktarvy	ferrosoferric oxide	iron oxide black	1317619	Y
Y	Biktarvy	ferric oxide red	iron oxide red	1309371	Y
Y	Biktarvy	magnesium stearate	magnesium stearate	557040	Y
Y	Biktarvy	microcrystalline cellulose	microcrystalline cellulose	9004346	Y
Y	Biktarvy	polyethylene glycol (unspecified)	polyethylene glycol	25322683	Y
Y	Biktarvy	polyvinyl alcohol (unspecified)	polyvinyl alcohol	9002895	Y
Y	Biktarvy	talc	talc	14807966	Y
Y	Biktarvy	titanium dioxide	titanium-dioxide	13463677	Y
N	Biktarvy	water		N/A	Y
Y	Eliquis	anhydrous lactose	Anhydrous lactose	63423	Y
Y	Eliquis	croscarmellose sodium	croscarmellose sodium	74811657	Y
Y	Eliquis	hypromellose	hypromellose	9004653	Y
Y	Eliquis	lactose monohydrate	lactose monohydrate	64044515	Y
Y	Eliquis	magnesium stearate	magnesium stearate	557040	Y
Y	Eliquis	microcrystalline cellulose	microcrystalline cellulose	9004346	Y
Y	Eliquis	sodium lauryl sulfate	sodium lauryl sulphate	151213	Y
Y	Eliquis	titanium dioxide	titanium dioxide	13463677	Y
Y	Eliquis	triacetin	triacetin	102761	Y
Y	Eliquis	ferric oxide yellow (Eliquis 2.5 mg)	yellow iron oxide (Eliquis 2.5 mg)	51274001	Y
Y	Eliquis	ferric oxide red (Eliquis 5 mg)	red iron oxide (Eliquis 5 mg)	1309371	Y
Y	Erleada	croscarmellose sodium	croscarmellose sodium	74811657	Y
Y	Erleada	magnesium stearate	magnesium stearate	557040	Y
Y	Erleada	microcrystalline cellulose	silicified microcrystalline cellulose	9004346	Y
Y	Erleada	ferrosoferric oxide	iron oxide black (E172)	1317619	Y
Y	Erleada	ferric oxide yellow	iron oxide yellow (E172)	51274001	Y
Y	Erleada	polyvinyl alcohol (unspecified)	polyvinyl alcohol	9002895	Y
Y	Erleada	talc	talc	14807966	Y
Y	Erleada	titanium dioxide	titanium dioxide	13463677	Y
Y	Erleada	hypromellose acetate succinate	hydroxypropyl methylcellulose-acetate succinate (HPMC-AS)	71138971	Y
Y	Erleada	microcrystalline cellulose	microcrystalline cellulose	9004346	Y
Y	Erleada	polyethylene glycol unspecified	polyethylene glycol	25322683	Y
Y	Erleada	silicon dioxide	colloidal anhydrous silica	7631869	Y
Y	Janumet	ferrosoferric oxide	Black iron oxide	1317619	Y
Y	Janumet	microcrystalline cellulose	microcrystalline cellulose	N/A	Y
Y	Janumet	polyethylene glycol (unspecified)	polyethylene glycol	25322683	Y
Y	Janumet	polyvinyl alcohol	polyvinyl alcohol	9002895	Y
Y	Janumet	povidone K30	polyvinylpyrrolidone	9003398	Y
Y	Janumet	ferric oxide red	red iron oxide	1309371	Y
Y	Janumet	sodium lauryl sulfate	sodium lauryl sulfate	151213	Y
Y	Janumet	sodium steryl fumarate	sodium stearyl fumarate	4070808	Y

Ingredients Match? (Y/N)	CA Brand Name	US- Inactive ingredient	CA- Inactive Ingredient	CAS	IID y/n
Y	Janumet	talc	talc	14807966	Y
Y	Janumet	titanium dioxide	titanium dioxide	13463677	Y
Y	Januvia	anhydrous dibasic calcium phosphate	Anhydrous dibasic calcium phosphate (calcium hydrogen phosphate, anhydrous)	7757939	Y
Y	Januvia	croscarmellose sodium	croscarmellose sodium	74811657	Y
Y	Januvia	magnesium stearate	magnesium stearate	557040	Y
Y	Januvia	microcrystalline cellulose	microcrystalline cellulose	N/A	Y
Y	Januvia	polyethylene glycol (unspecified)	polyethylene glycol (macrogol)	25322683	Y
Y	Januvia	polyvinyl alcohol (unspecified)	polyvinyl alcohol	9002895	Y
Y	Januvia	ferric oxide red	red iron oxide	1309371	Y
Y	Januvia	sodium steryl fumarate	sodium stearyl fumarate	4070808	Y
Y	Januvia	talc	talc	14807966	Y
Y	Januvia	titanium dioxide	titanium dioxide	13463677	Y
Y	Januvia	ferric oxide yellow	yellow iron oxide	51274001	Y
Y	Odefsey	croscarmellose sodium	croscarmellose sodium	74811657	Y
Y	Odefsey	lactose monohydrate	lactose monohydrate	64044515	Y
Y	Odefsey	magnesium stearate	magnesium stearate	557040	Y
Y	Odefsey	microcrystalline cellulose	microcrystalline cellulose	N/A	Y
Y	Odefsey	polysorbate 20	polysorbate 20	9005645	Y
Y	Odefsey	povidone	povidone	9003398	Y
Y	Odefsey	polyvinyl alcohol	polyvinyl alcohol	9002895	Y
Y	Odefsey	titanium dioxide	titanium dioxide	13463677	Y
Y	Odefsey	polyethylene glycol	macrogol/polyethylene glycol	25322683	Y
Y	Odefsey	talc	talc	14807966	Y
Y	Odefsey	iron oxide black	iron oxide black	1317619	Y
Y	Otezla	microcrystalline cellulose	microcrystalline cellulose	9004346	y
Y	Otezla	lactose monohydrate	lactose monohydrate	64044515	y
Y	Otezla	croscarmellose sodium	croscarmellose sodium	74811657	y
Y	Otezla	magnesium stearate	magnesium stearate	557040	y
Y	Otezla	polyvinyl alcohol	polyvinyl alcohol	9002895	y
Y	Otezla	titanium dioxide	titanium dioxide	13463677	y
Y	Otezla	polyethylene glycol	polyethylene glycol	25322683	y
Y	Otezla	talc	talc	14807966	y
Y	Otezla	iron oxide red	iron oxide red	1309371	y
Y	Otezla	iron oxide yellow (20 and 30 mg only)	iron oxide yellow (20 and 30 mg only)	51274001	y
Y	Otezla	iron oxide black (30 mg only)	iron oxide black (30 mg only)	1317619	y
y	OZEMPIC	SODIUM PHOSPHATE, DIBASIC, DIHYDRATE	disodium phosphate dihydrate	10028247	n
y	OZEMPIC	propylene glycol	propylene glycol	57556	y
y	OZEMPIC	phenol	phenol	108952	y
y	OZEMPIC	water	water for injection	N/A	N/A
Y	Prezcobix	silicified microcrystalline cellulose	silicified microcrystalline cellulose	9004346	Y
Y	Prezcobix	crospovidone	crospovidone	9003398	Y

Ingredients Match? (Y/N)	CA Brand Name	US- Inactive ingredient	CA- Inactive Ingredient	CAS	IID y/n
Y	Prezcobix	hypromellose	hypromellose	9004653	Y
Y	Prezcobix	magnesium stearate	magnesium stearate	557040	Y
Y	Prezcobix	polyethylene glycol	polyethylene glycol	25322683	Y
Y	Prezcobix	polyvinyl alcohol (partially hydrolyzed)	polyvinyl alcohol (partially hydrolyzed)	9002895	Y
Y	Prezcobix	talc	talc	14807966	Y
Y	Prezcobix	titanium dioxide	titanium dioxide	13463677	Y
Y	Prezcobix	iron oxide red	iron oxide red	1309371	Y
Y	Prezcobix	iron oxide black	iron oxide black	1317619	Y
N	Prezcobix	colloidal silicon dioxide		7631869	Y
Y	Rinvoq	ferrosoferric oxide	Black iron oxide/ferrosoferric oxide	1317619	Y
Y	Rinvoq	hypromellose	hypromellose	9004653	Y
Y	Rinvoq	iron oxide red	iron oxide red	1309371	Y
Y	Rinvoq	polyethylene glycol	macrogol/polyethylene glycol	25322683	Y
Y	Rinvoq	magnesium stearate	magnesium stearate	557040	Y
Y	Rinvoq	mannitol	mannitol	69658	Y
Y	Rinvoq	microcrystalline cellulose	microcrystalline cellulose	9004346	Y
Y	Rinvoq	polyvinyl alcohol	polyvinyl alcohol	9002895	Y
Y	Rinvoq	colloidal silicon dioxide	silica (colloidal anhydrous)/colloidal silicon dioxide	7631869	Y
Y	Rinvoq	talc	talc	14807966	Y
Y	Rinvoq	tartaric acid	tartaric acid	87694	Y
Y	Rinvoq	titanium dioxide	titanium dioxide	13463677	Y
Y	Sprycel	croscarmellose sodium	Croscarmellose sodium	74811657	Y
Y	Sprycel	hydroxypropyl cellulose	hydroxypropyl cellulose	9004642	Y
Y	Sprycel	lactose monohydrate	lactose monohydrate	64044515	Y
Y	Sprycel	magnesium stearate	magnesium stearate	557040	Y
Y	Sprycel	microcrystalline cellulose	microcrystalline cellulose	N/A	Y
Y	Sprycel	hypromellose	hypromellose	9004653	Y
Y	Sprycel	polyethylene glycol unspecified	polyethylene glycol	25322683	Y
Y	Sprycel	titanium dioxide	titanium dioxide	13463677	Y
Y	Symtuza	silicon dioxide	colloidal silicon dioxide	7631869	Y
Y	Symtuza	croscarmellose sodium	croscarmellose sodium	74811657	Y
Y	Symtuza	magnesium stearate	magnesium stearate	557040	Y
Y	Symtuza	polyethylene glycol (unspecified)	polyethylene glycol (macrogol)	25322683	Y
Y	Symtuza	polyvinyl alcohol (partially hydrolyzed)	polyvinyl alcohol (partially hydrolyzed)	9002895	Y
Y	Symtuza	talc	talc	14807966	Y
Y	Symtuza	titanium dioxide	titanium dioxide	13463677	Y
Y	Symtuza	microcrystalline cellulose	microcrystalline cellulose	9004346	Y
Y	Symtuza	ferric oxide yellow	yellow ferric oxide	51274001	Y
Y	Tivicay	D-mannitol	D-mannitol	69658	Y
Y	Tivicay	microcrystalline cellulose	microcrystalline cellulose	N/A	Y
Y	Tivicay	povidone K29/32	povidone K29/32	9003398	Y

Ingredients Match? (Y/N)	CA Brand Name	US- Inactive ingredient	CA- Inactive Ingredient	CAS	IID y/n
Y	Tivicay	sodium starch glycolate	sodium starch glycolate	9063381	Y
Y	Tivicay	sodium stearyl fumarate	sodium stearyl fumarate	4070808	Y
Y	Tivicay	iron oxide yellow (for the 25-mg and 50-mg tablets only)	iron oxide yellow (25 mg and 50 mg tablets only)	51274001	Y
Y	Tivicay	macrogol/PEG	macrogol/PEG	25322683	Y
Y	Tivicay	polyvinyl alcohol-part hydrolyzed	polyvinyl alcohol - part hydrolyzed	9002895	Y
Y	Tivicay	talc	talc	14807966	Y
Y	Tivicay	titanium dioxide	titanium dioxide	13463677	Y
Y	TRIKAFTA 100/50/75 and Ivacaftor 150 mg tablets	croscarmellose sodium	croscarmellose sodium	74811657	y
Y	TRIKAFTA 100/50/75 and Ivacaftor 150 mg tablets	hypromellose	hypromellose	9004653	y
Y	TRIKAFTA 100/50/75 and Ivacaftor 150 mg tablets	hypromellose acetate succinate	hypromellose acetate succinate	71138971	y
Y	TRIKAFTA 100/50/75 and Ivacaftor 150 mg tablets	magnesium stearate	magnesium stearate	557040	y
Y	TRIKAFTA 100/50/75 and Ivacaftor 150 mg tablets	microcrystalline cellulose	microcrystalline cellulose	9004346	y
Y	TRIKAFTA 100/50/75 and Ivacaftor 150 mg tablets	sodium lauryl sulfate	sodium lauryl sulfate	151213	y
Y	TRIKAFTA 100/50/75 and Ivacaftor 150 mg tablets	hydroxypropyl cellulose	hydroxypropyl cellulose	9004642	y
Y	TRIKAFTA 100/50/75 and Ivacaftor 150 mg tablets	hypromellose	hypromellose	9004653	y
Y	TRIKAFTA 100/50/75 and Ivacaftor 150 mg tablets	iron oxide red	iron oxide red	1309371	y
Y	TRIKAFTA 100/50/75 and Ivacaftor 150 mg tablets	iron oxide yellow	iron oxide yellow	51274001	y
Y	TRIKAFTA 100/50/75 and Ivacaftor 150 mg tablets	talc	talc	14807966	y
Y	TRIKAFTA 100/50/75 and Ivacaftor 150 mg tablets	titanium dioxide	titanium dioxide	13463677	y
Y	TRIKAFTA Ivacaftor (alone)	colloidal silicon dioxide	Colloidal silicon dioxide	7631869	y
Y	TRIKAFTA Ivacaftor (alone)	croscarmellose sodium	croscarmellose sodium	74811657	y
Y	TRIKAFTA Ivacaftor (alone)	hypromellose acetate succinate	hypromellose acetate succinate	71138971	y
Y	TRIKAFTA Ivacaftor (alone)	lactose monohydrate	lactose monohydrate	64044515	y
Y	TRIKAFTA Ivacaftor (alone)	magnesium stearate	magnesium stearate	557040	y
Y	TRIKAFTA Ivacaftor (alone)	microcrystalline cellulose	microcrystalline cellulose	9004346	y
Y	TRIKAFTA Ivacaftor (alone)	sodium lauryl sulfate	sodium lauryl sulfate	151213	y
Y	TRIKAFTA Ivacaftor (alone)	carnauba wax	Carnauba wax	8015869	y
Y	TRIKAFTA Ivacaftor (alone)	FD&C Blue #2	indigo carmine aluminum lake	15792651	y
Y	TRIKAFTA Ivacaftor (alone)	PEG 3350	PEG 3350	25322683	y
Y	TRIKAFTA Ivacaftor (alone)	polyvinyl alcohol	polyvinyl alcohol	9002895	y
Y	TRIKAFTA Ivacaftor (alone)	talc	talc	14807966	y
Y	TRIKAFTA Ivacaftor (alone)	titanium dioxide	titanium dioxide	13463677	y
Y	TRIKAFTA Ivacaftor (alone)	ammonium hydroxide	Ammonium hydroxide	1336216	Y (GRAS)
Y	TRIKAFTA Ivacaftor (alone)	iron oxide black	iron oxide black	1317619	y
Y	TRIKAFTA Ivacaftor (alone)	propylene glycol	propylene glycol	57556	y
Y	TRIKAFTA Ivacaftor (alone)	shellac	shellac	9000593	y
Y	Triumeq	mannitol	D-mannitol	69658	Y
Y	Triumeq	magnesium stearate	magnesium stearate	557040	Y
Y	Triumeq	microcrystalline cellulose	microcrystalline cellulose	N/A	Y
Y	Triumeq	povidone (unspecified)	povidone K29/32	9003398	Y
Y	Triumeq	sodium starch glycolate type A corn	sodium starch glycolate	9063381	Y

Ingredients Match? (Y/N)	CA Brand Name	US- Inactive ingredient	CA- Inactive Ingredient	CAS	IID y/n
Y	Triumeq	ferrosoferric oxide	iron oxide black	1317619	Y
Y	Triumeq	ferric oxide red	iron oxide red	1309371	Y
Y	Triumeq	polyethylene glycol (unspecified)	macrogol/PEG	25322683	Y
Y	Triumeq	polyvinyl alcohol (unspecified)	polyvinyl alcohol-part hydrolyzed	9002895	Y
Y	Triumeq	talc	talc	14807966	Y
Y	Triumeq	titanium dioxide	titanium dioxide	13463677	Y
Y	Victoza	sodium phosphate (dibasic, dihydrate)	Disodium phosphate dihydrate	10028247	Y
Y	Victoza	propylene glycol	propylene glycol	57556	Y
Y	Victoza	Phenol	phenol	108952	Y
Y	Victoza	water	water for injections	N/A	Y